

Referenties: artikels

Hieronder zijn de referenties opgenomen die gebruikt werden voor de opmaak van het assessmentmateriaal van GLOBAMIX deel 1. In functie van de leesbaarheid werd in de tekst bij een artikel met 3 of meer auteurs enkel de eerste auteur gevolgd door *e.a.* vermeld. De volledige referentie is hier te vinden.

Ja/nee-reacties

- Brookshire, R., & McNeil, M. (2015). *Introduction to neurogenic communication disorder* 8th edition. Missouri: Elsevier.
- Dalrymple, A., Stanfield, S., & Walker, B. (2013). *The aphasia resource book. Practical ways to help people with aphasia*. Speechmark Publishing Ltd.
- Garrett, K.L., & Lasker, J.P. (2005). *The multimodal communication screening test for persons with aphasia (MCST-A)*. Retrieved July, 17, 2005.
- Goodglass, H., Kaplan, E., & Barresi, B. (2001). *The assessment of aphasia and related disorders*. Lippincott Williams & Wilkins.
- Helm-Estabrooks, N., Ramsberger, G., Morgan, A., & Nicholas, M. (1989). *Boston Assessment of Severe Aphasia*. TX: Pro-ed.
- Kertesz, A., & Poole, E. (1974). The aphasia quotient: the taxonomic approach to measurement of aphasic disability. *Canadian Journal of Neurological Sciences*, 1 (1), 7-16.
- Moerkerke, L., Paemeleire, F., & Robert, E. (2017). Boston assessment of severe aphasia (BASA): een meerwaarde bij het onderzoek van personen met globale afasie? *Logopedie*, 30 (3), 19-31.

Presemantische vaardigheden

Auditieve input

- Bastiaanse, R., Bosje, M., & Visch-Brink, E. (1995). *Psycholinguïstische testbatterij voor de taalverwerking van afasiepatiënten (PALPA)*. Hove: Lawrence Erlbaum Associates.
- Chermak, G. & Musiek, F. (1997). *Central Auditory Processing Disorders: New Perspectives*. San Diego-London: Singular Publishing Group.
- Kumar, P., Mohan, B., Pavithra, K., & Naveen, C. (2016). Exploring (central) auditory processing deficits in individuals with Broca's aphasia: Based on case study. *Indian Journal of Otology*, 22 (2), 135.
- Lamoré, P., Kapteyn, T., & Franck, B. (2012). Nederlandse leerboek audiologie. *Utrecht, Nederlandse Vereniging voor Audiologie*.
- Neijenhuis, K., Snik, A., Stollman, M., & Simkens, H. (2012). In NVA: Audiologieboek. Online beschikbaar: <http://www.audiologieboek.nl/htm/hfd8/indexn2h8.htm>
- Saygin, A.P., Dick, F., & Bates, E. (2005). An on-line task for contrasting auditory processing in the verbal and nonverbal domains and norms for younger and older adults. *Behavior Research Methods*, 37 (1), 99-110.

- Saygin, A., Robert, L., & Frederic, D. (2010). Nonverbal auditory agnosia with lesion to Wernicke's area. *Neuropsychologia*, 48(1), 107-113.
- Visch-Brink, E., Vandenborre, D., de Smet, H.J., & Mariën, P., (2014). *Comprehensive Aphasia Test - Nederlandse bewerking (CAT-NL)*. Amsterdam: Pearson.
- Woldendorp, K., Hurkmans, J., Waaksma, R., & de Bruijn M. (2004). Auditieve verwerkingsproblemen: een case-report ter illustratie. *Stem-, Spraak- en Taalpathologie*, 12(3), 220-234.
- Chinese tekens: <http://www.chi-connected.com/chinese-karakters.html>

Visuele input

- Bastiaanse, R., Bosje, M., & Visch-Brink, E. (1995). *Psycholinguïstische testbatterij voor de taalverwerking van afasiepatiënten (PALPA)*. Hove: Lawrence Erlbaum Associates.
- Beijer, L.J., Gotwalt, A.M.F., & Geurts, A.C.H. (2000). De GANBA: geschikt voor cognitieve diagnostiek bij afasiepatiënten in de neurorevalidatie? *Stem-, Spraak- en Taalpathologie*, 9(2), 110-121.
- Godefroy, O. & Bogousslavsky, J. (2009). *The Behavioral and Cognitive Neurology of Stroke* (2nd edition). Cambridge University.
- Greene, J.D.W. (2005). Apraxia, agnosias, and higher visual function abnormalities. *Journal of Neurology, Neurosurgery & Psychiatry*, 76(5), 25-34.
- Heutink, J., Indorf, D.L., & Cordes, C. (2018). The neuropsychological rehabilitation of visual agnosia and Balint's syndrome. *Neuropsychological rehabilitation*, 1-20.
- Robert, E., & Van Rumst, M. (1993). *Het China-Himbeere Syndroom, een werkstuk of differentiaaldiagnostiek binnen de globale afasie* [scriptie]. Rotterdam: COWAG, Hogeschool Rotterdam en omstreken.
- Torfs, K., Vancleef, K., Lafosse, C., Wagemans, J., & de-Wit, L. (2014). The Leuven Perceptual Organization Screening Test (L-POST), an online test to assess mid-level visual perception. *Behavior Research Methods*, 46(2), 472-487.
- Visch-Brink, E., Vandenborre, D., de Smet, H.J., & Mariën, P. (2014). *Comprehensive Aphasia Test - Nederlandse bewerking (CAT-NL)*. Amsterdam: Pearson.
- Zihl, J. (2003). Recovery and rehabilitation of cerebral visual disorders. *The neuropsychology of vision*, 319-338.

Niet-talige cognitie

Inleiding

- American Speech-Language-Hearing Association. (2003). *Evaluating and treating communication and cognitive disorders: approaches to referral and collaboration for speech-language pathology and clinical neuropsychology* [Technical Report]. Geraadpleegd op 24 februari 2014 via www.asha.org/policy.
- Baldo, J.V., Dronkers, N.F., Wilkins, D., Ludy, C., Raskin, P., & Kim, J. (2005). Is problem solving dependent on language? *Brain and language*, 92(3), 240-250.
- Beijer, L.J., Gotwalt, A.M.F., & Geurts, A.C.H. (2000). De GANBA: geschikt voor cognitieve diagnostiek bij afasiepatiënten in de neurorevalidatie? *Stem-, Spraak- en Taalpathologie*, 9(2), 110-121.

- Connor, L., & Fucetola, R. (2011). Assessment of Attention In People With Aphasia: Challenges and Recommendations. *Perspectives on Neurophysiology an Neurogenic Speech and Language Disorders*, 21 (2), 55-63.
- Crosson, B. (2000). Systems that support language processes: Attention. In S.E., Nadeau, L., Gonzalez, J., Rothi, B., & Crosson, B. (Eds). *Aphasia and language* (pp. 372-398). New York: The Guilford Press.
- Demeyere, N., Riddoch, M.J., Slavkova, E. D., Bickerton, W.-L., & Humphreys, G.W. (2015). The Oxford Cognitive Screen (OCS): Validation of a stroke-specific short cognitive screening tool. *Psychological Assessment*, 27 (3), 883-894.
- Donovan, N.J., Kendall, D.L., Heaton, S.C., Kwon, S., Velozo, C.A., & Duncan, P.W. (2008). Conceptualizing functional cognition in stroke. *Neurorehabilitation and Neural Repair*, 22 (2), 122-135.
- El Hachoui, H., Visch-Brink, E., Lingsma, H., van de Sandt-Koenderman, M., Dippel, D., Koudstaal, P., & Middelkoop, H. (2014). Non-linguistic cognitive impairment in post-stroke aphasia. *Neurorehabilitation and Neural Repair*, 28 (3), 273-281.
- Helm-Estabrooks, N. (2002). Cognition and aphasia: A discussion and a study. *Journal of Communication Disorders*, 35 (2), 171-186.
- Helm-Estabrooks, N., & Nicholas, M. (2013). The process approach to assessment and treatment of aphasia. In L. Ashendorf, R. Swensons & D.J. Libon (Eds.), *The Boston process approach to neuropsychological assessment. A practioner's guide* (pp. 170-199). USA: Oxford Clinical Press.
- Hinckley, J. (2011) *A preliminary model for selecting aphasia treatment type based on cognitive profile*. Clinical Aphasiology Conference, 41th. Fort Lauderdale. May 31-June 4, 2011. Gevonden op 2 oktober 2019 in <http://aphasiology.pitt.edu/2272/>
- Hinckley, J., & Nash, C. (2007). Cognitive assessment and aphasia severity. *Brain and Language*, 103 (1-2), 248-249.
- Huygelier, H., Schraepen, B., Demeyere, N., & Gillebert, C. R. (2019). The Dutch version of the Oxford Cognitive Screen (OCS-NL): normative data and their association with age and socio-economic status. *Aging, Neuropsychology, and Cognition*, 1-22.
- Kalbe, E., Reinhold, N., Brand, M., Markowitsch, J., & Kessler, J. (2005). A new test battery to assess aphasic disturbances and associated cognitive dysfunctions: German normative data on the Aphasia Check List. *Journal of Clinical and Experimental Neuropsychology*, 27 (7), 779-794.
- Marinelli, C. V., Spaccavento, S., Craca, A., Marangolo, P., & Angelelli, P. (2017). Different Cognitive Profiles of Patients with Severe Aphasia. *Behavioural Neurology*. doi: [10.1155/2017/3875954](https://doi.org/10.1155/2017/3875954)
- Paemeleire, F. (2010). Personen met afasie én executieve functiestoornissen: implicaties voor diagnostiek en behandeling. *Logopedie*, 23 (3), 23-34.
- Paemeleire, F. (2014). De screeningtest voor cognitie en communicatie (STCC): Een nieuw instrument voor volwassenen met NAH. *Logopedie*, 27 (2), 51-65.
- Seniow, J., Litwin, M., & Lesniak, M. (2009). The relationship between non-linguistic cognitive deficits and language recovery in patients with aphasia. *Journal of the Neurological Sciences*, 283 (1-2), 91-94.
- Turgeon, Y., & Macoir, J. (2008). *Classical and contemporary assessment of aphasia and acquired disorders of language: The handbook of the neuroscience of language*. Oxford: Elsevier.

- Van Mourik, M., Verschaeve, M., Boon, P., Paquier, P., & Harskamp, F.V. (1992). Cognition in global aphasia: Indicators for therapy. *Aphasiology*, 6 (5), 491-499.

Aandacht

- Connor, L., Albert, M., Helm-Estabrooks, N., & Obler, L. (2000). Attentional modulation of language performance. *Brain and Language*, 71 (1), 52-55.
- Kovács, F. (2001). Test of sustained selective attention, manual. *Oegstgeest: Pyramid Productions*.
- Crosson, B., Fabrizio, K., Singletary, F., Cato, M., Wierenga, C., Parkinson, R., & Holiway, B. (2007). Treatment of naming in nonfluent aphasia through manipulation of intention and attention: A phase 1 comparison of two novel treatments. *Journal of the International Neuropsychological Society*, 13 (4), 582-594.
- Helm-Estabrooks, N., Connor, L., & Albert, M. (2000). Treating attention to improve auditory comprehension in aphasia. *Brain and Language*, 74 (3), 469-472.
- Helm-Estabrooks, N. (2011) Treating attention to improve auditory comprehension deficits associated with aphasia. *Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders*, 21 (2), 64-71.
- Javadipour, S., Nejati, V., Yadegari, F., Javadipour, S., & Fazel, S. (2018). A visual attention training program for the improvement of auditory comprehension in aphasia. *NeuroQuantology*, 16 (1), 14-24.
- Mc Callum, S. (2003). *Handbook of nonverbal assessments*. New York: Kluwer Academic/Plenum Publishers.
- Murray, L; Keeton, R., & Karcher, L. (2006). Treating attention in mild aphasia: Evaluation of attention process training – II. *Journal of Communication Disorders*, 39 (1), 37-61.
- Lambrecht, W., & Hermans, N. (2013). *Breinzicht: Toegepaste neuropsychologie bij niet-aangeboren hersenletsel*. Gent: Academia Press.
- McNeil, M., Odell, K, & Tseng, C. (1991). Toward the integration of resource allocation into a general theory of aphasia. *Clinical Aphasiology*, 20, 21-39.
- Paemeleire, F., Savonet, A., & Van Beneden, G. (2007). Aandachtsproblemen bij volwassenen: Zelfevaluatie en behandeling met het totaalpakket FOCUMIX. *Signaal*, 59, 4-21.
- Posner, M., Snyder, C., & Solo, R. (2004). Attention and cognitive control. In D. A. Balota, E. Marsch & E. J. Marsch (Eds.), *Cognitive psychology: Key readings* (pp. 205-221). UK: Psychology Press.
- Ramsberger, G. (2005). Achieving conversational success in aphasia by focusing on non-linguistic cognitive skills: A potentially promising new approach. *Aphasiology*, 19, 1066-1073.
- Sinotte, M., & Coelho, C. (2007). Attention training for reading impairment in mild aphasia: A follow-up study. *Neurorehabilitation*, 22 (4), 303-310.

Geheugen

- Baddeley, A. (2003). Working memory and language: an overview. *Journal of communication disorders*, 36 (3), 189-208.
- Bucks, R.S., Willison, J.R., Byrne, L.M.T. & Kessels, R.P.C. (2014). *Location Learning test*. Oxford: Hogrefe Ltd.

- El Hachioui, H., Visch-Brink, E., Lingsma, H., van de Sandt-Koenderman, M., Dippel, D., Koudstaal, P., & Middelkoop, H. (2014). Non-linguistic cognitive impairment in post-stroke aphasia. *Neurorehabilitation and Neural Repair*, 28 (3), 273-281.
- Faiz, A. (2016). Lothian assessment for screening cognition in aphasia (LASCA): A new non verbal assessment of cognition. *Procedia - Social and Behavioral Sciences*, 217, 1052-1062.
- Garrett, K.L., & Lasker, J.P. (2013). Adults with severe aphasia and apraxia of speech in D. R. Beukelman & P. Mirenda (Eds.), *Augmentative & Alternative communication supporting children & adults with complex communication needs fourth edition* (pp. 405-445). Baltimore: Paul Brookes Publishing.
- Helm-Estabrooks, N. (2001). *Cognitive Linguistic Quick Test*. San Antonio, TX: The Psychological Corporation.
- Kessels, R.P., Nys, G.M., & Brands, A.M. (2004). The Location Learning Test as a measure of spatial memory: applicability of a modified administration procedure and normative data. *Tijdschrift voor gerontologie en geriatrie*, 35 (4), 147-152.
- Kessels, R.P., Van Zandvoort, M.J., Postma, A., Kappelle, L.J., & De Haan, E.H. (2000). The Corsi block-tapping task: standardization and normative data. *Applied neuropsychology*, 7(4), 252-258.
- Lambrecht, W., & Hermans, N. (2015). *Breinzicht: toegepaste neuropsychologie bij niet-aangeboren hersenletsel*. Leuven: Acco.
- Lezak, M.D., Howieson, D.B., & Loring, D.W. (2004). *Neuropsychological assessment*. Oxford: Oxford University Press.
- Marinelli, C.V., Spaccavento, S., Craca, A., Marangolo, P., & Angelelli, P. (2017). Different Cognitive Profiles of Patients with Severe Aphasia. *Behavioural Neurology*, <https://doi.org/10.1155/2017/3875954>
- Martin, N., & Ayala, J. (2004). Measurements of auditory-verbal STM span in aphasia: Effects of item, task, and lexical impairment. *Brain and Language*, 89, 464-483.
- Meeter, M., & Hendriks, M. (2012). Geheugen. In R. Kessels e.a. (Red.), *Klinische neuropsychologie* (pp. 197-218). Amsterdam: Uitgeverij Boom.
- Paemeleire, F. (2014). De screeningtest voor cognitie en communicatie (STCC): Een nieuw instrument voor volwassenen met NAH. *Logopedie*, 27(2), 51-65.
- Skeel, R.L., & Edwards, S. (2009). Assessment and Rehabilitation of Memory Impairments. In B. Johnstone & H.H. Stonnington (Eds.), *Rehabilitation of Neuropsychological Disorders: A Practical Guide for Rehabilitation Professionals* (pp. 47-74). UK: Psychology Press.
- Van Balen, H.G.G., & Groot Zwaaftink, A.J.M. (1993). *Rivermead Behavioural Memory Test, Handleiding. Nederlandse bewerking*. Lisse: Swets en Zeitlinger.
- Van Mourik, M., Verschaeve, M., Boon, P., Paquier, P., & Harskamp, F.V. (1992). Cognition in global aphasia: Indicators for therapy. *Aphasiology*, 6 (5), 491-499.
- Visch-Brink, E., Vandenborre, D., de Smet, H.J., & Mariën, P., (2014). *Comprehensive Aphasia Test - Nederlandse bewerking (CAT-NL)*. Amsterdam: Pearson.
- Wilhelm, P., Swaab, H., Serlier-van den Bergh, A.M.H.L., & van der Heijden, K.B. (2010). Handleiding Rey Visual Design Learning Test.
- Wilson B.A., Greenfield, E., & Clare L (2008). *The Rivermead Behavioural Memory Test - Third Edition (RBMT-3)*. London: Pearson Assessment.

Executieve functies

- Butt, P., & Bucks, R. (2004). *BNVR: The Butt Non-Verbal Reasoning Test*. Speekmark publishing.
- Demeyere, N., Riddoch, M.J., Slavkova, E. D., Bickerton, W.-L., & Humphreys, G.W. (2015). The Oxford Cognitive Screen (OCS): Validation of a stroke-specific short cognitive screening tool. *Psychological Assessment, 27* (3), 883-894.
- Evans, J.J. (2003). Rehabilitation of executive deficits. In B.E. Wilson (Ed.), *Neuropsychological rehabilitation: Theory and practice* (pp. 53-70). Lisse: Swets & Zeitlinger.
- Fridriksson, J., Nettles, C., Davis, M., Morrow, L., & Montgomery, A. (2006). Functional communication and executive function in aphasia. *Clinical Linguistics & Phonetics, 20* (6), 401-410.
- Fridriksson, J., Nettles, C., Davis, M., Morrow, L., & Montgomery, A. (2006). Functional communication and executive function in aphasia. *Clinical linguistics & phonetics, 20* (6), 401-410.
- Helm-Estabrooks, N. (2002). Cognition and aphasia: A discussion and a study. *Journal of communication disorders, 35* (2), 171-186.
- Huygelier, H., Schraepen, B., Demeyere, N., & Gillebert, C.R. (2019). The Dutch version of the Oxford Cognitive Screen (OCS-NL): normative data and their association with age and socio-economic status. *Aging, Neuropsychology, and Cognition, 1*-22.
- Keil, K., & Kaszniak, A. W. (2002). Examining executive function in individuals with brain injury: A review. *Aphasiology, 16* (3), 305-335.
- Lezak, M.D., Howieson, D.B., & Loring, D.W. (2004). *Neuropsychological assessment*. Oxford: Oxford University Press.
- Luria, A.R. (1966). *Higher cortical functions in man*. London: Tavistock.
- Marshall, R. (2010, januari). *Tapping executive function capabilities of clients with aphasia*. Mondelinge presentatie op American Speech-Language-Hearing Association Convention. Gevonden op 6 mei 2018 via www.asha.org.
- Miyake, A., Emerson, M.J., & Friedman, N.P. (2000). Assessment of executive functions in clinical settings: Problems and recommendations. *Seminars in speech and language, 21* (2), 169-183.
- Moses, M.S., Sheard, C., & Nickels, L.A. (2007). Insights into recurrent perseverative errors in aphasia: A case series approach. *Aphasiology, 21* (10/11), 975-1001.
- Murray, L. & Rammage, A. (2000). Assessing the executive function abilities of adults with neurogenic communication disorders. *Seminars in Speech and Language, 21* (2), 153-167.
- Olsson, C., Arvidsson, P., & Blom Johansson, M. (2019). Relations between executive function, language, and functional communication in severe aphasia. *Aphasiology, 33* (7), 821-845.
- Paemeleire, F. (2010). Personen met afasie én executieve functiestoornissen: implicaties voor diagnostiek en behandeling. *Logopedie, 23* (3), 23-34.
- Purdy, M.H. (2002). Executive function ability in persons with aphasia. *Aphasiology, 16* (4), 549-557.
- Ramsberger, G. (2005). Achieving conversational success in aphasia by focusing on nonlinguistic cognitive skills: A potentially promising new approach, *Aphasiology, 19* (10-11), 1066-1073.

- Reitan, R.M. (1992). *Trail Making Test: Manual for administration and scoring*. Reitan Neuropsychology Laboratory.
- Robertson, I.H., Ward, T., Ridgeway, V., & Nimmo-Smith, I. (1994). The test of everyday attention (TEA). *Bury St. Edmunds, UK: Thames Valley Test Company*, 197-221.
- Van Den Berg, E., Nys, G.M., Brands, A.M., Ruis, C., Van Zandvoort, M.J., & Kessels, R.P. (2009). The Brixton Spatial Anticipation Test as a test for executive function: validity in patient groups and norms for older adults. *Journal of the International Neuropsychological Society*, 15 (5), 695-703.
- Ylvisaker, M. & Feeney, T. (1998). *Collaborative brain injury intervention: Positive everyday routines*. San Diego: Singular Publishing Group.

Visuospatiële vaardigheden

- Beijer, L.J., Gotwalt, A.M.F., & Geurts, A.C.H. (2000). De GANBA: geschikt voor cognitieve diagnostiek bij afasiepatiënten in de neurorevalidatie? *Stem-, Spraak- en Taalpathologie*, 9 (2), 110-121.
- Bouma, A., Mulder, J., Lindeboom, J., & Schmand, B. (2012). *Handboek neuropsychologische diagnostiek (2e herziene druk)*. Amsterdam: Pearson.
- Demeyere, N., Riddoch, M.J., Slavkova, E.D., Bickerton, W.-L., & Humphreys, G.W. (2015). The Oxford Cognitive Screen (OCS): Validation of a stroke-specific short cognitive screening tool. *Psychological Assessment*, 27 (3), 883-894.
- Frostig, M., Lefever, W., Maslow, P., & Whittlesey, R.B. (1964). *Marianne Frostig developmental test of visual perception*. Consulting Psychologists Press.
- Gainotti, G., & Ciaraffa, F. (2013). Is 'object-centred neglect' a homogeneous entity?. *Brain and cognition*, 81 (1), 18-23.
- Huygelier, H., Schraepen, B., Demeyere, N., & Gillebert, C.R. (2019). The Dutch version of the Oxford Cognitive Screen (OCS-NL): normative data and their association with age and socio-economic status. *Aging, Neuropsychology, and Cognition*, 1-22.
- Lezak, M.D., Howieson, D.B., Loring, D.W., & Fischer, J.S. (2004). *Neuropsychological assessment*. Oxford University Press, USA.
- Shaw, J. (2009). The assessment and rehabilitation of visuo-spatial disorders. In B. Johnstone & H.H. Stonnington (Eds.), *Rehabilitation of Neuropsychological Disorders: a practical guide for rehabilitation professionals* (pp. 107-135). London: Psychology Press.
- Van Mourik, M., Verschaeve, M., Boon, P., Paquier, P., & Harskamp, F.V. (1992). Cognition in global aphasia: Indicators for therapy. *Aphasiology*, 6 (5), 491-499.
- Visch-Brink, E., Vandenborre, D., de Smet, H.J., & Mariën, P. (2014). *Comprehensive Aphasia Test - Nederlandse bewerking (CAT-NL)*. Amsterdam: Pearson.

Buccofaciale praxis

- Duffy, J.R. (2015). *Motor speech disorders. Substrates, differential diagnosis and management*. St. Louis: Elsevier Mosby.
- Feiken, J., & Jonkers, R. (2012). *DIAS: Diagnostisch instrument voor apraxie van de spraak*. Bohn Stafleu van Loghum.
- Paemeleire, F. (2012). *Handboek spraakapraxie bij volwassenen*. Antwerpen: Garant.
- Van Harskamp, F., Visch-Brink, E.G., & van Amerongen, N. (1995). Globale afasie. *Stem-, Spraak- en Taalpathologie*, 4 (2), 73-102.

- Ziegler, W. (2008). Apraxia of Speech. In G. Goldenberg & B. Miller (Eds.), *Handbook of Clinical Neuropsychology* Vol. 88 (3rd Series) (pp. 269-285). USA: Elsevier.

Ledematenpraxis

- Huygelier, H., Schraepen, B., Demeyere, N., & Gillebert, C.R. (2019). The Dutch version of the Oxford Cognitive Screen (OCS-NL): normative data and their association with age and socio-economic status. *Aging, Neuropsychology, and Cognition*, 1-22.
- Paemeleire, F. (2012). *Handboek spraakapraxie bij volwassenen*. Antwerpen: Garant.
- Pérez-Mármol, J.M., García-Ríos, C., Barrero-Hernandez, F.J., Molina-Torres, G., Brown, T., & Aguilar-Ferrándiz, M.E. (2015). Functional rehabilitation of upper limb apraxia in poststroke patients: study protocol for a randomized controlled trial. *Trials*, 16 (1), 508.
- Power, E., Code, C., Croot, K., Sheard, C., & Gonzalez Rothi, L.J. (2009). Florida Apraxia Battery-Extended and Revised Sydney (FABERS): Design, description, and a healthy control sample. *Journal of Clinical and Experimental Neuropsychology*, 32 (1), 1-13.
- Rothi, L.J.G., Raymer, A.M., & Heilman, K.M. (1997). Limb Praxis Assessment. In L.J.G. Rothi & K.M. Heilman (Eds.), *Apraxia The Neuropsychology of Action* (pp 61-73). UK: Psychology Press.
- Van Harskamp, F., Visch-Brink, E.G., & van Amerongen, N. (1995). Globale afasie. *Stem-, Spraak- en Taalpathologie*, 4 (2), 73-102.
- Van Heugten, C.M., Dekker, J., Deelman, B.G., Stehmann-Saris, F.C., & Kinebanian, A. (1999). A diagnostic test for apraxia in stroke patients: Internal consistency and diagnostic value. *The Clinical Neuropsychologist*, 13 (2), 182-192.
- Vanbellingen, T., Kersten, B., Van de Winckel, A., Bellion, M., Baronti, F., Müri, R., & Bohlhalter, S. (2011). A new bedside test of gestures in stroke: The apraxia screen of TULIA (AST). *Journal of Neurology, Neurosurgery, and Psychiatry*, 82 (4), 389-392.
- Visch-Brink, E., Vandenborre, D., de Smet, H.J., & Mariën, P., (2014). *Comprehensive Aphasia Test - Nederlandse bewerking (CAT-NL)*. Amsterdam: Pearson.

Evaluatie gebruik communicatiehulpmiddel

Inleiding

- Beukelman, D.R., Garrett, K.L., & Yorkston, K.M. (Eds.) (2007). *Augmentative communication strategies for adults with acute or chronic medical conditions*. Baltimore, MD: Paul H. Brookes Publishing Company.
- Beukelman, D.R., Hux, K., Dietz, A., McKelvey, M., & Weissling, K. (2015). Using visual scene displays as communication support options for people with chronic, severe aphasia: A summary of AAC research and future research directions. *Augmentative and Alternative Communication*, 31 (3), 234-245.
- Brock, K., Koul, R., Corwin, M., & Schlosser, R. (2017). A comparison of visual scene and grid displays for people with chronic aphasia: A pilot study to improve communication using AAC. *Aphasiology*, 31 (11), 1282-1306.

- Caron, J., Light, J., Davidoff, B.E., & Drager, K.D. (2017). Comparison of the effects of mobile technology AAC apps on programming visual scene displays. *Augmentative and Alternative Communication*, 33 (4), 239-248.
- DynaVox Mayer-Johnson (2016). *AAC MYTHS REVEALED: An individual can be too impaired to benefit from AAC*. Geraadpleegd op 9 januari 2020 via <file:///C:/Users/franpa/Desktop/td-myths-adult-too-impaired.pdf>
- Fager, S., Doyle, M., & Karantounis, R. (2007). Traumatic brain injury. In D. Beukelman, K. Garrett, & K. Yorkston (Eds.), *Augmentative Communication Strategies for adults with acute or chronic medical conditions* (pp. 131-162). Baltimore, MD: Paul H. Brookes.
- Garrett, K.L., & Lasker, J.P. (2013). Adults with severe aphasia and apraxia of speech in D. R. Beukelman & P. Mirenda (Eds.), *Augmentative & Alternative communication supporting children & adults with complex communication needs fourth edition* (pp. 405-445). Baltimore: Paul Brookes Publishing.
- Hux, K., Buechter, M., Wallace, S., & Weissling, K. (2010). Using visual scene displays to create a shared communication space for a person with aphasia. *Aphasiology*, 24 (5), 643-660.
- King, J.M., & Simmons-Mackie, N. (2017). Communication supports and best practices. *Topics in Language Disorders*, 37 (4), 348-360.
- Lasker, J.P., & Garrett, K.L. (2006). Using the Multimodal Communication Screening Test for Persons with Aphasia (MCST-A) to guide the selection of alternative communication strategies for people with aphasia. *Aphasiology*, 20 (02-04), 217-232.
- McKelvey, M.L., Hux, K., Dietz, A., & Beukelman, D.R. (2010). Impact of personal relevance and contextualization on word-picture matching by people with aphasia. *American Journal of Speech-Language Pathology*, 15, 305-317.
- Modem (s.d.). *Aided Language Stimulation*. Geraadpleegd op 8 januari 2020 via http://www.modemadvies.be/uploads/5/4/7/5/54751539/aided_language_stimulation.pdf
- Nicholas, M., & Connor, L.T. (2017). People with aphasia using AAC: are executive functions important? *Aphasiology*, 31 (7), 819-836.
- Nicholas, M., Sinotte, M.P., & Helm-Estabrooks, N. (2011). C-Speak Aphasia Alternative Communication Program for People with Severe Aphasia: Importance of executive functioning and semantic knowledge. *Journal of Neuropsychological Rehabilitation*, 21 (3), 322-366.
- Paemeleire, F. (2010). Personen met afasie én executieve functiestoornissen: implicaties voor diagnostiek en behandeling. *Logopedie*, 23 (3), 23-34.
- Paemeleire, F. (2018). *Neurologopedie en ICT*. Mondelinge presentatie op de 11^e terugkomdag van het postgraduaat Neurologische Taal- en Spraakstoornissen op 29 maart 2018 in de Arteveldehogeschool (Gent).
- Paemeleire, F., Desmet, L., Savonet, A. & Van Beneden, G. (2014). Focus op de externe factoren van de ICF bij de behandeling van volwassenen met dysartrie. *Signaal*, 87, 4-18.
- Ronski, M., & Sevcik, R. A. (2005). Augmentative communication and early intervention: Myths and realities. *Infants & Young Children*, 18 (3), 174-185.
- Russo, M. J., Prodan, V., Meda, N. N., Carcavallo, L., Muracioli, A., Sabe, L., ... & Olmos, L. (2017). High-technology augmentative communication for adults with post-stroke aphasia: A systematic review. *Expert Review of Medical Devices*, 14 (5), 355-370.
- Taylor, S., Wallace, S. J., & Wallace, S. E. (2019). High-Technology Augmentative and Alternative Communication in Poststroke Aphasia: A review of the factors that contribute

- to successful augmentative and alternative communication use. *Perspectives of the ASHA Special Interest Groups*, 4, 464-473.
- Van de Sandt-Koenderman, M. (2004). High-tech AAC and aphasia: Widening horizons? *Aphasiology*, 18 (3), 245-263.
 - Van de Sandt-Koenderman, W.M.E. (2007). *Crossroads in aphasia rehabilitation [doctoral thesis]*. Erasmus University Rotterdam. Retrieved from <http://hdl.handle.net/1765/15843>.
 - van de Sandt-Koenderman, W.M.E., Wiegers, J., Wielaert, S., Duivendoorn, H.J., & Ribbers, G.M. (2007). High-tech AAC and severe aphasia: Candidacy for TouchSpeak (TS). *Aphasiology*, 21 (5), 459-474.
 - Wielaert, S., Wiegers, J., & van de Sandt-Koenderman, W. (2005). Graag weer praten. Hoe bepalend is de hulpvraag? *Logopedie en Foniatrie*, 77(1), 16-21.

Communicatiebord: beschrijving

- Garrett, K.L. & Lasker, J.P. (2007). AAC and severe Aphasia: enhancing communication across the continuum of recovery. *Neurophysiology and Neurogenic Speech and Language Disorders*, 17(3), 6-15.
- Garrett, K.L., & Lasker, J.P. (2013). Adults with severe aphasia and apraxia of speech. In D.R. Beukelman & P. Mirenda (Eds.), *Augmentative & Alternative communication supporting children & adults with complex communication needs fourth edition* (pp. 405-445). Baltimore: Paul Brookes Publishing.
- Communicatiebord dat ontwikkeld werd in samenwerking met de Werkgroep Utrecht van de Stichting Afasie Nederland en verdeeld wordt door Afasienet.
<https://www.afasienet.com/wp-content/uploads/communicatiebord.jpg>

Communicatieboek: beschrijving

- De Vries, L., Stumpel, H.J., Stoutjesdijk, O.K., & Barf, H.A. (2001). *Het Taalzakboek*. Amsterdam: Pearson.
- Fierens, L. (2019). *Differentiatie bij personen met ernstige afasie. Een onderzoek naar de betrouwbaarheid & klinische meerwaarde van GLOBAMIX, een nieuw dynamisch assessment voor personen met ernstige afasie* [Masterproef]. Nijmegen: Radboud Universiteit Master in de Taal- en Spraakpathologie.
- Garrett K., & Lasker J. (2005). The multimodal communication screening test for persons with aphasia (MCST-A). <http://aac.unl.edu/screen/screen.html>
- Ho, K.M., Weiss, S.J., Garrett, K.L., & Lloyd, L.L. (2005). The effect of remnant and pictographic books on the communicative interaction of individuals with global aphasia. *Augmentative and Alternative Communication*, 21 (3), 218-232.
- Lasker, J.P. (2002). Categorical assessment of persons with aphasia. *Perspectives on Augmentative and Alternative Communication*, 11 (1), 14-20.
- Lasker, J.P., & Bedrosian, J.L. (2001). Promoting Acceptance of Augmentative and Alternative Communication by Adults with Acquired Communication Disorders. *AAC Augmentative and Alternative Communication*, 17(3), 141-153.
- Lasker, J.P. & Garrett, K.L. (2006). Using the Multimodal Communication Screening Test for Persons with Aphasia (MCST-A) to guide the selection of alternative communication strategies for people with aphasia. *Aphasiology*, 20 (2/3/4), 217-232.

- Nicholas, M., & Connor, L.T. (2017). People with aphasia using AAC: are executive functions important? *Aphasiology*, 31 (7), 819-836.
- Nicholas, M., Sinotte, M.P., & Helm-Estabrooks, N. (2011). C-Speak Aphasia Alternative Communication Program for People with Severe Aphasia: Importance of executive functioning and semantic knowledge. *Journal of Neuropsychological Rehabilitation*, 21 (3), 322-366.
- Pound, C., Parr, S., Lindsay, J., & Woolf, C. (2000). *Beyond aphasia. Therapies for living with communication disability*. UK: Speechmark.
- Purdy, M., & Koch, A. (2006). Prediction of strategy usage by adults with aphasia. *Aphasiology*, 20 (2-4), 337-348.
- Van der Meulen, A.C., Houthuizen, J., & van de Sandt-Koenderman, W.M.E. (2018). Meten van communicatie bij ernstige afasie. De Scenario Test: een nieuwe test voor verbale én nonverbale communicatie bij afasiepatiënten. *Logopedie en Foniatrie*, 80 (4), 112-116.
- Van de Sandt-Koenderman, W.M.E., Wieggers, J., Wielaert, S., Duivenvoorden, H.J., & Ribbers, G.M. (2007). High-tech AAC and severe aphasia: Candidacy for TouchSpeak (TS). *Aphasiology*, 21 (5), 459-474.
- Verschaeve, M., Duinker-Kloeke, G., Muller-Pieterse, I., & Regoort, A. (1998). *Het Gespreksboek*. Arnhem: Stichting Afasie Nederland.

Activiteiten/participatie

- Community Integration Questionnaire (CIQ), aangepast en vereenvoudigd voor mensen met afasie door Dalemans, R.J.P. (2007). Download via <https://pub.maastrichtuniversity.nl/5ff2ef46-924f-43bc-bf76-93a7156ad377?fid=18234>
- Dalemans, R.J.P., De Witte, L.P., Beurkens, A.J.H.M., Van Den Heuvel, W.J.A., & Wade, D.T. (2010). An investigation into the social participation of stroke survivors with aphasia. *Disability and Rehabilitation*, 32 (20), 678-685.
- Dalemans, R., de Witte, L.P., Lemmen, J., van den Heuvel, W.J.A., & Wade, D.T. (2008). Measures for rating social participation in people with aphasia: a systematic review. *Clinical Rehabilitation*, 22, 542-555.
- Darrigrand, B., Dutheil, S., Michelet, V., Rereau, S., Rousseaux, M., & Mazaux, J.M. (2011). Communication impairment and activity limitation in stroke patients with severe aphasia. *Disability and rehabilitation*, 33 (13-14), 1169-1178.
- De Vos, C. (2015). Participatiegerichte benadering bij personen met afasie: welke doelen heeft de cliënt? Poster voorgesteld op het VVL congres op 20 maart 2015. Gevonden op 15 februari 2018 via https://expertise.hogent.be/files/15084343/P9_Participatiegerichte_benadering_bij_PMA_Catherine_De_Vos.pdf
- De Vos, C. (2018). Functioneren en doelstellingen van personen met een niet-aangeboren hersenletsel en afasie in de thuissituatie. In W. Van Handenhoven (Red.), *Jaarboek ergotherapie 2018* (pp. 257-278). Leuven/Den Haag: Acco.
- Garrett, K.L., & Beukelman, D.R. (2006). *Aphasia Needs Assessment*. Gevonden op 15 februari 2018 via <https://cehs.unl.edu/documents/secd/aac/assessment/aphasianeeds.pdf>
- Groenenboom-De Jong, W., Paemeleire, F., & Post, M. (2016). Afasievriendelijk meten van revalidatieresultaten. *Nederlands tijdschrift voor Logopedie*, 88, 6-12.

- Haley, K.L., Womack, J.L., Helm-Estabrooks, N., Caignon, D., & McCulloch, K.L. (2010). LIV Cards Questionnaire for Friends and Family Members. Gevonden op 15 februari 2018 via <https://www.med.unc.edu/ahs/sphs/card/resources/livcards/score-sheets/LV%20Questionnaire.pdf/view>
- Hinckley, J. (2014). Facilitating life participation in severe aphasia with limited treatment time. *SIG 2 Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders*, 24, 89-99.
- Parr, S. (2007). Living with severe aphasia: Tracking social exclusion. *Aphasiology*, 21(1), 98-123.
- Pommerehn, J., Delboni, M.C.C., & Fedosse, E. (2016). International Classification of Functioning, Disability and Health, and aphasia: A study of social participation. *CoDAS*, 28 (2), 132-140.
- Post, M.W.M. (2010). Utrechtse Schaal voor Evaluatie van Revalidatie-Participatie (USER-Participatie). Gevonden op 15 februari 2018 via <http://www.dehoogstraat.nl/images/products/221/USER-Participatie.pdf>
- Post, M.W., van der Zee, C.H., Hennink, J., Schafrat, C.G., Visser-Meily, J.M., & van Berlekom, S.B. (2012). Validity of the Utrecht scale for evaluation of rehabilitation-participation. *Disability and rehabilitation*, 34 (6), 478-485.
- Post, M., Van De Port, I., Peeters, R., Baines, R., & Van Berlekom, S. (2006). USER: een nieuw generiek meetinstrument voor het vastleggen van uitkomsten van klinische revalidatie. *Revalidata*, 132, 23-27.
- Smets, L. (2018). *Kwalitatief onderzoek naar de mogelijkheden tot activiteiten en participatie bij personen met een ernstige niet-vloeiende afasie met hemiplegie in de thuissituatie* [Bachelorproef]. Gent: Arteveldehogeschool.

Communicatiepartners

- Arnstein, S.R. (1969). A ladder of citizen participation. *Journal of the American Institute of planners*, 35 (4), 216-224.
- Avent, J., Glista, S., Wallace, S., Jackson, J., Nishioka, J., & Yip, W. (2005). Family information needs about aphasia. *Aphasiology*, 19 (3-5), 365-375.
- Berns, P.E.G., Junger, N., Boxum, E., Nouwens, F., van der Staaij, M.G., van Wessel, S., van Dun, W., van Lonkhuijzen, J.G., CBO & TNO. (2015). *Logopedische richtlijn 'Diagnostiek en behandeling van afasie bij volwassenen'*. Woerden: Nederlandse Vereniging voor Logopedie en Foniatrie.
- Blackstone, S., & Hunt-Berg, M. (2003). *Social Networks: A communication inventory for individuals with complex communication needs and their communication partners*. Monterey, CA: Augmentative Communication, Inc.
- Brown, K., Davidson, B., Worrall, L.E., & Howe, T. (2013). "Making a good time": The role of friendship in living successfully with aphasia. *International Journal of Speech-Language Pathology*, 15 (2), 165-175.
- Cherney, L.R., Simmons-Mackie, N., Raymer, A., Armstrong, E., & Holland, A. (2013). Systematic review of communication partner training in aphasia: Methodological quality. *International Journal of Speech-Language Pathology*, 15 (5), 535-545.
- Dalemans, R., Overländer, S., & Knors, A. (2011). Family Needs Questionnaire. Vertaling naar het Nederlands, onderzoek naar de begrijpelijkheid en de betrouwbaarheid. *Logopedie en foniatrie*, 78 (3), 82-86.

- De Haan-Neven, V., Dalemans, R., & Van Rumst, M. (2014). "Weer dirigent zijn van mijn eigen levenslied" - Coaching van een persoon met chronische afasie in zijn sociale participatie: een gevalbespreking. *Logopedie*, 87(maart-april), 35-48.
- De Haan-Neven, V., Dalemans, R., & Van Rumst, M. (2015). Sociale participatietraining bij afasie: een praktijkvoorbeeld. *Nederlands tijdschrift voor Logopedie*, 87(6), 24-31.
- De Paermentier, R., Paemeleire, F., & Van Rumst, M. (2018). Zorgverleners beter leren communiceren met personen met een ernstig hersentrauma: een pilotstudie met het programma TBI Express. *Signaal*, 103, 4-24.
- Donham, A., & Lasker, J.P. (2007). Partner-dependent techniques for using the Social Networks Inventory: An example of severe aphasia. In *Clinical AAC Research Conference, Lexington, KY*.
- Garrett, K.L., & Beukelman, D.R. (2006). *Aphasia Needs Assessment*. Gevonden op 15 februari 2018 via <https://cehs.unl.edu/documents/secd/aac/assessment/aphasianeeds.pdf>
- Given, C.W., Given, B., Stommel, M., Collins, C., King, S., & Franklin, S. (1992). The caregiver reaction assessment (CRA) for caregivers to persons with chronic physical and mental impairment. *Res Nurs Health*, 15, 271-283.
- Grawburg, M.J. (2013). Investigating third party functioning and third party disability in family members of people with aphasia [doctoral thesis]. New Zealand: University of Canterbury. Gevonden op 10 oktober 2018 via https://ir.canterbury.ac.nz/bitstream/handle/10092/9023/thesis_fulltext.pdf?sequence=1
- Hawthorne, G. (2006). Measuring social isolation in older adults: Development and initial validation of the Friendship Scale. *Social Indicators Research*, 77, 521-548.
- Kagan, A., Black, S.E., Duchan, J.F., Simmons-Mackie, N., & Square, P. (2001). Training volunteers as conversation partners using "Supported Conversation for Adults With Aphasia"(SCA). *Journal of Speech, Language, and Hearing Research*.
- Lasker, J.P., & Garrett, K.L. (2006). Using the Multimodal Communication Screening Test for Persons with Aphasia (MCST-A) to guide the selection of alternative communication strategies for people with aphasia. *Aphasiology*, 20 (2/3/4), 217-232.
- Manders, E., Mariën, A., & Janssen, V. (2011). Informing and supporting partners and children of persons with aphasia: A comparison of supply and demand. *Logopedics Phoniatrics Vocology*, 36 (4), 139-144.
- Nabuurs, S., de Haan-Neven, V., & Paemeleire, F. (2018). SMARTER doelbepaling bij een participatie gerichte afasiebehandeling in de chronische fase. Een gevalbespreking. *Nederlands tijdschrift voor Logopedie*, 90 (5), 18-26.
- Nijboer, C., Triemstra, M., Tempelaar, R., Sanderman, R., & van den Bos, G.A. (1999). Measuring both negative and positive reactions to giving care to cancer patients: psychometric qualities of the Caregiver Reaction Assessment (CRA). *Social science & medicine*, 48 (9), 1259-1269.
- Paemeleire, F., Desmet, L., Savonet, A., & Van Beneden, G. (2011). DYSAMIX. Werkboek dysartrie bij volwassenen deel 1. Destelbergen: Sig vzw.
- Pound, C., Parr, S., Lindsay, J., & Woolf, C. (2002). *Beyond aphasia. Therapies for living with communication disability*. Oxford, UK: Speechmark Publishing.
- Rautakoski, P. (2011). Partners' self-perceptions of the use of different communication strategies during total communication intervention, *Aphasiology*, 25 (12), 1523-1542.
- Robinson, B.C. (1983). Validation of a Caregiver Strain Index. *Journal of Gerontology*, 38 (3), 344-348.

- Simmons-Mackie, N., Raymer, A., Cherney, L.R. (2016). Communication partner training in aphasia: An updated systematic review. *Archives of physical medicine and rehabilitation*, 97(12), 2202-2221.
- Simmons-Mackie, N., Raymer, S., Armstrong, E. Holland, A., & Cherney, L. (2010). Partner training in aphasia: A systematic review. *Archives of Physical Medicine and Rehabilitation*, 91(12), 1814-37.
- Simmons-Mackie, N., Worrall, L., Murray, L.L., Enderby, P., Rose, M.L., Paek, E.J., & Klippi, A. (2016). The top ten: best practice recommendations for aphasia. *Aphasiology*, 31(2), 1-21.
- Vickers, C.P. (2010). Social networks after the onset of aphasia: The impact of aphasia group attendance. *Aphasiology*, 24(6-8), 902-913.
- Visser-Meily, J.M.A., & van Heugten, C.M. (2004). Zorg voor de Mantelzorg, addendum bij Revalidatie na een beroerte. Nederlandse Hartstichting. Gevonden op 5 juli 2018 via <http://www.informare.nu/public/site/downloads/zorg-mantelzorger.pdf>
- Visser-Meily, J.M.A., van Heugten, C.M., & Lüning, E. (2005). Zorg voor de mantelzorgers van CVA patiënten. Richtlijnen en aanbevelingen voor begeleiding. *Tijdschrift voor verpleeghuisgeneeskunde*, 30(4), 8-11.
- Wielaert, S., & Dammers, N. (2014). *Deel 1 Inventarisatie van de communicatie-algemeen Doelen*. Gevonden op 21 juni 2019 via https://www.afasienet.com/wp-content/uploads/PACTpartnerinterview_WielaertDammers_2014.pdf
- Wielaert, S.M., Berns, P., van de Sandt-Koenderman, M.W.M.E., Dammers, N., & Sage, K. (2017). 'Now it is about me having to learn something' Partners' experiences with a Dutch conversation partner training programme (PACT). *International Journal of Language & Communication Disorders*, 52(2), 143-154.
- Wielaert, S.M., Sage, K., Heijenbrok-Kal, M.H., & Van De Sandt-Koenderman, M.W.M.E. (2016). Candidacy for conversation partner training in aphasia: findings from a Dutch implementation study. *Aphasiology*, 30(6), 699-718.
- Wielaert, S., & Wilkinson, R. (2012). Partners van Afasiepatiënten Conversatie Training (PACT). Houten: Bohn Stafleu van Loghum.
- Willer, B., Allen, K.M., & Zicht, M.S. (1991). Problems and Coping Strategies of individuals with TBI and their spouses. *Archives of Physical Medicine and Rehabilitation*, 72(7), 460-464.

Persoonlijke factoren

- De Vos, C. (2018). Functioneren en doelstellingen van personen met een niet-aangeboren hersenletsel en afasie in de thuissituatie. In Wilfried Van Handenhoven (Red.), *Jaarboek ergotherapie 2018* (pp. 257-278). Leuven: Acco.
- Geyh, S., Peter, C., Müller, R., Bickenbach, J.E., Kostanjsek, N., Üstün, B.T., Stuck, G., & Cieza, A. (2011). The Personal Factors of the International Classification of Functioning, Disability and Health in the literature – a systematic review and content Analysis. *Disability and Rehabilitation*, 33(13-14), 1089-1102.
- Howe, T.J. (2008). The ICF Contextual Factors related to speech language pathology. *International Journal of Speech-Language Pathology*, 10(1-2), 27-37.

- Paemeleire, F., Desmet, L., Savonet, A., & Van Beneden, G. (2011). *DYSAMIX. Werkboek dysartrie bij volwassenen deel 1*. Destelbergen: Sig vzw.
- Simmons-Mackie, N., & Kagan, A. (2007). Application of the ICF in Aphasia. *Seminars in Speech and Language, 28*, 244–253.
- Threats, T. (2007). Access for persons with neurogenic communication disorders: Influences of Personal and Environmental Factors of the ICF. *Aphasiology, 21* (1), 67-80.
- World Health Organisation (2001). *International Classification of Functioning, Disability, and Health*. Geneva: WHO.